

工務補第 3-10 号

配水管布設替に伴う走出地内舗装復旧 工事

【復旧構成図】

本管
舗装復旧
工務補第3-10号

| 名 称 | 復旧番号 復旧延長 | φ 100mm | φ 75mm | φ 50mm | | | | | | | | | | | 実施 単位 | | |
|------------|----------------------------------|---------|--------|--------|--|--|--|--|--|--|--|--|--|--|-------|--------|----------------|
| | | | | | | | | | | | | | | | 合計 | 変更 | |
| As 版 切 断 | t=15cm以下 | 16.70 | 13.75 | 6.50 | | | | | | | | | | | | 36.95 | m |
| As 版 破 碎 工 | 機械 t=10cm以下 | 770.28 | 66.65 | 133.20 | | | | | | | | | | | | 970.13 | m ² |
| As 処 分 工 | 機械 10tD | 35.17 | 2.93 | 6.07 | | | | | | | | | | | | 44.17 | m ² |
| 不 陸 整 正 | 補足材無し | 167.37 | 20.30 | 29.36 | | | | | | | | | | | | 217.03 | m ² |
| 不 陸 整 正 | 粒調 φ 25 t=1cm | 602.91 | 46.35 | 103.84 | | | | | | | | | | | | 753.10 | m ² |
| 表 層 工 | ⑨密粒As (13F) 平均幅員 3.0m超 | 728.08 | 66.65 | 133.20 | | | | | | | | | | | | 927.93 | m ² |
| 表 層 工 | ⑨密粒As (13F) 平均幅員 1.4m以上3.0m未満 | 33.77 | | | | | | | | | | | | | | 33.77 | m ² |
| 表 層 工 | ⑨密粒As (13F) 平均幅員 1.4m未満 | 8.43 | | | | | | | | | | | | | | 8.43 | m ² |
| 区 画 線 工 | 昼間 豪雪有 実線45cm 制約無 | 15.20 | | | | | | | | | | | | | | 15.20 | m |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |

